

INSTRUCTIONS PHOTO ETCHED DECK FOR TRUMPETER 05912 TYPE: VIIC 1/144



rcsubs@seznam.cz



3 Glue (adhesive solidification time delay)
2 grind the entire surface
1 Glue

TIP



1.
original plastic deck
Super glue
2.
PE deck
In place of the holes, deepen the area on the deck.
original plastic deck
3.



WWW.RCSUBS.CZ

Description of patrs PE




Deck A






rcsubs@seznam.cz

Deck B


B2
B3
B3
alternative
B4
B7
plastic
hatch
B10
90°
B9
90°
90°
90°
B5
B8
B10
90°
B5
B7
plastic hatch
B6
wire 0.5 mm
Pe - original
B5
B1
B3
B4
B5
B
B5
4x
180°
180°
B7
180°
wire 0.5 mm
2x
B6
plastic
hatch
version 1
Pe - original
version 2


Deck C


180°
180°
Pe - original
Pe - original
A2
90°
C3
C5
90°
B10
C6
90°
C2
B10
C1
2x
C4
C2
B10
C1
B10
B10
C1
B10
C


Hull -forming etchings

For a better shaping of etching, it is necessary to heat up plate and then rapidly cool down. etching is soft and well shaped according to the shape of the hull.
<u>Recommendation:</u> Try these steps to shape a different part of the sheet (the rest).


1.




2.



3.




1. fine melting to determine the outline etching (using solder)




2. formation of holes using a milling machine



3. melting etching into the hull





4. gluing and kiting






Hull







rcsubs@seznam.cz

Hull






plastic part





rcsubs@seznam.cz


Tower





Plastic parts
TRUMPETER




















Tower






G6
2x
G5
3 version
90°
F13
G9
2x
G12
90°
G11
G10
G8
2x
G8
G7
2x
cut
F12
G4
Pe - original
2x
Pe - original
Pe - original
2x
Pe - original
2x

Tower










rcsubs@seznam.cz

Gun 20 mm



Deck Gun 88 mm

